L Number	Hits	Search Text	DB	Time stamp
1	2262	(LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:19
2	35	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema near9 directory near9 . objects!	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:20
3	23	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema near9 directory near9 objects!) and 707/\$.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:24
4	7	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema near9 directory near9 objects!) and 707/\$.ccls.) and classes! and Java and (object adj oriented) adj programming	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:25
5	7	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema near9 directory near9 objects!) and 707/\$.ccls.) and classes! and Java and ((object adj oriented) adj programming)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:25
6 .	2	(((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema near9 directory near9 objects!) and 707/\$.ccls.) and classes! and Java and ((object adj oriented) adj programming)) and x.500	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:33
7	3399	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6 sams (data adj dictionary) same directoryr	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:28
8	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6 same (data adj dictionary) same directoryr	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:28
9	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6 same (data adj dictionary) same directory	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:29
10	10	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6 same directory	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:29
11	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6 same ((data adj dictionary) or categor\$5) same directory	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:30
12	19	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:30
13	0	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6) and ((data adj dictionary) or categor\$5) with directory	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:31

			,	
.14	5	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:33
		adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB;	
		((data adj dictionary) or categor\$5) same directory	EPO; JPO;	
			DERWENT:	
			IBM TDB	ĺ
15	3	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT:	2004/03/25 12:33
		adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB:	
		((data adj dictionary) or categor\$5) same directory) and x.500	EPO: JPO:	
		(duta daj diotoriary) or outogorpo) came an outory, and xiooc	DERWENT:	
			IBM TDB	
				1

				
L Number	Hits	Search Text	DB	Time stamp
1	2262	(LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:19
		adj access adj protocol))	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
,	35	(/LDAD or //lightwoight\$2 or /light odi woight\$2\) odi directore	IBM_TDB	2004/02/25 12:20
2	35	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema near9 directory near9	USPAT; US-PGPUB;	2004/03/25 12:20
		objects!	EPO; JPO;	
			DERWENT;	
			IBM TDB	
3	23	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:24
		adj access adj protocol))) and schema near9 directory near9	US-PGPUB:	
		objects!) and 707/\$.ccls.	EPO; JPO;	
			DERWENT;	
:			IBM TDB	
4	7	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:25
		adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	
		objects!) and 707/\$.ccls.) and classes! and Java and (object	EPO; JPO;	
		adj oriented) adj programming	DERWENT;	
1_	_		IBM_TDB	
5	7	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:25
		adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	
]		objects!) and 707/\$.ccls.) and classes! and Java and ((object	EPO; JPO;	
		adj oriented) adj programming)	DERWENT; IBM_TDB	
6	. 2	(((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj	USPAT;	2004/03/25 12:33
	. -	directory adj access adj protocol))) and schema near9	US-PGPUB:	2004/03/23 12.33
		directory near9 objects!) and 707/\$.ccls.) and classes! and	EPO; JPO;	
		Java and ((object adj oriented) adj programming)) and x.500	DERWENT:	
		((, , , , , , , , , , , , , , , , , ,	IBM_TDB	
8	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:28
	:	adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
		(data adj dictionary) same directoryr	EPO; JPO;	
			DERWENT;	
		(4) DAD (4) 14 11 14 14 14 14 14 14 14 14 14 14 14	IBM_TDB	
9	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:29
		adj access adj protocol))) and schema same instantiat\$6 same (data adj dictionary) same directory	US-PGPUB; EPO; JPO;	
		(data adj dictionary) same directory	DERWENT;	
ļ			IBM_TDB	
10	10	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:29
		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	200 1700/20 12:20
		directory	EPO; JPO;	
			DERWENT;	
1			IBM_TDB	
11	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:30
		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
		((data adj dictionary) or categor\$5) same directory	EPO; JPO;	
			DERWENT;	
12	19	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	IBM_TDB USPAT;	2004/03/25 12:30
'-	1.5	adj access adj protocol))) and schema same instantiat\$6	US-PGPUB;	200 4 /03/23 12.30
		and an and an	EPO; JPO;	
			DERWENT;	
	•		IBM_TDB	
13	0	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:31
		adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB;	
		((data adj dictionary) or categor\$5) with directory	EPO; JPO;	
			DERWENT;	
14	_	///LDAD or //lightugisht02 or /light adisiatt00\\ adi !!	IBM_TDB	0004/00/05 40 65
14	5	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:33
j i		adj access adj protocol))) and schema same instantiat\$6) and ((data adj dictionary) or categor\$5) same directory	US-PGPUB; EPO; JPO;	
1		mana any monoriary, or categories, same directory	DERWENT;	
			IBM_TDB	

			·	
15	3	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:33
		adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB;	
		((data adj dictionary) or categor\$5) same directory) and x.500	EPO; JPO;	
			DERWENT;	
		,	IRM TOR	1

				<u></u>
L Number	Hits	Search Text	DB	Time stamp
1	2262	(LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:34
		adj access adj protocol))	US-PGPUB;	
			EPO; JPO;	•
			DERWENT;	
ļ	_		IBM_TDB	
2	35	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:20
		adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	
		objects!	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
3	23	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:24
		adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	
		objects!) and 707/\$.ccls.	EPO; JPO;	
: 1			DERWENT;	
	_		IBM_TDB	0004/00/05 40 00
4	7 '	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:36
		adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	
		objects!) and 707/\$.ccls.) and classes! and Java and (object	EPO; JPO;	
		adj oriented) adj programming	DERWENT;	
			IBM_TDB	
5	· 7	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:25
1		adj access adj protocol))) and schema near9 directory near9	US-PGPUB;	
		objects!) and 707/\$.ccls.) and classes! and Java and ((object	EPO; JPO;	
		adj oriented) adj programming)	DERWENT;	
	,		IBM_TDB	
6	2	(((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj	USPAT;	2004/03/25 12:33
		directory adj access adj protocol))) and schema near9	US-PGPUB;	
		directory near9 objects!) and 707/\$.ccls.) and classes! and	EPO; JPO;	
		Java and ((object adj oriented) adj programming)) and x.500	DERWENT;	
			IBM_TDB	
8	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:28
1		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
		(data adj dictionary) same directoryr	EPO; JPO;	
			DERWENT;	
	· ·		IBM_TDB	
9	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:29
		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
		(data adj dictionary) same directory	EPO; JPO;	
			DERWENT;	
	1		IBM_TDB	
10	10	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:29
		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
	ļ	directory	EPO; JPO;	
			DERWENT;	
1		(1) DAD (10) 1 1 1400 (10) 11 12 1 1400 (10)	IBM_TDB	2004/02/25 42:22
11	0	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:30
		adj access adj protocol))) and schema same instantiat\$6 same	US-PGPUB;	
		((data adj dictionary) or categor\$5) same directory	EPO; JPO;	
			DERWENT;	
1	_		IBM_TDB	0004/00/05 10 00
12	19	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:30
		adj access adj protocol))) and schema same instantiat\$6	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/00/05 40 04
13	0	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:31
		adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB;	
	•	((data adj dictionary) or categor\$5) with directory	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
14	5	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory	USPAT;	2004/03/25 12:33
		adj access adj protocol))) and schema same instantiat\$6) and	US-PGPUB;	
		((data adj dictionary) or categor\$5) same directory	EPO; JPO;	
			DERWENT;	
			IBM_TDB	

15	3	((((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol))) and schema same instantiat\$6) and ((data adj dictionary) or categor\$5) same directory) and x.500	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:33
16	o	(LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and cateogry and directories!	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 12:34
17	0	(LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categoeirs! and directories!	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:35
18	53	(LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:35
19	28	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!) and Java with classes! and objects!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:37
20	28	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!) and Java with classes! and objects!) and (object adj oriented) adj programming	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:37
21	28	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!) and Java with classes! and objects!) and (object adj oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:37
22	28	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!) and Java with classes!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:37
23	32	((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!) and Java and classes and objects!	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/03/25 12:38
24	12	(((LDAP or ((lightweight\$3 or (light adj weight\$3)) adj directory adj access adj protocol)) and x.500 and schema and categories! and directories!) and Java and classes and objects!) and (707/\$.ccls. or 717/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 12:38

L Number	Hits	Search Text	DB	Time stamp
1 3	51	directory adj shell	USPAT;	2004/03/25 13:0
			US-PGPUB;	
			EPO; JPO;	
·			DERWENT;	
			IBM_TDB	
2	0	(directory adj shell) and directories with categories!	USPAT;	2004/03/25 13:0
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	,
3	0	(directory adj shell) and directories! with categories!	USPAT;	2004/03/25 13:0
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		,	IBM_TDB	
4	0	(directory adj shell) and directories! same categories!	USPAT;	2004/03/25 13:
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
5	254	directories! same categories!	USPAT;	2004/03/25 13:
		3	US-PGPUB;	
ļ			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
6	124	directories! with categories!	USPAT;	2004/03/25 13:
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
7	0	(directories! with categories!) and shell with (directory or	USPAT;	2004/03/25 13:
1	•	category)	US-PGPUB;	20000,20
		- Suitagory)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
8	60	(directories! with categories!) and (shell or module or	USPAT;	2004/03/25 13:
	•	application or program) with (directory or category)	US-PGPUB;	200 1700/20 10:
		approader or program, mar (alreatory or eategory)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
9	15	((directories! with categories!) and (shell or module or	USPAT;	2004/03/25 13:
•	.0	application or program) with (directory or category)) and LDAI		2004/03/23 13.
		- application of programly man (an octory of category), and EDAI	EPO; JPO;	
			DERWENT;	
			IBM TDB	
10	15141	(shell or module or application or program) with (directory or	USPAT;	2004/03/25 13:
	10171	category)	US-PGPUB;	200-1100120 10.
		00(0901)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
11	999	((shell or module or application or program) with (diseases = ==		2004/02/05 42
•	999	((shell or module or application or program) with (directory or category)) and LDAP	USPAT;	2004/03/25 13:
i		Category)) and LOAF	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
12	264	(((chall or modulo or application or present) with (directors)	IBM_TDB	2004/02/25 42
12	264	(((shell or module or application or program) with (directory or		2004/03/25 13:
		category)) and LDAP) and 707/\$.ccls.	US-PGPUB;	-
			EPO; JPO;	
			DERWENT;	
40	70	///aball as madula as applicable as a second of the second	IBM_TDB	0004/00/05
13	76	((((shell or module or application or program) with (directory o		2004/03/25 13:
		category)) and LDAP) and 707/\$.ccls.) and directories! and	US-PGPUB;	
		categories!	EPO; JPO;	
Ì			DERWENT;	
ì			IBM TDB	

\				
14	28	(((((shell or module or application or program) with (directory or category)) and LDAP) and 707/\$.ccls.) and directories! and categories!) and (search\$3 or query) near6 interface	USPAT; US-PGPUB; EPO; JPO;	2004/03/25 13:15
		categories:) and (searchas of query) heard interface	DERWENT; IBM_TDB	
15	. 11	((((((shell or module or application or program) with (directory or category)) and LDAP) and 707/\$.ccls.) and directories! and	USPAT; US-PGPUB;	2004/03/25 13:14
		categories!) and (search\$3 or query) near6 interface) and x.500	EPO; JPO; DERWENT; IBM_TDB	
16	0	(((((((shell or module or application or program) with (directory or category)) and LDAP) and 707/\$.ccls.) and directories! and categories!) and (search\$3 or query) near6 interface) and x.500) and hiearch\$6 and structure	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 13:14
17	11	(((((((shell or module or application or program) with (directory	IBM_TDB USPAT;	2004/03/25 13:14
		or category)) and LDAP) and 707/\$.ccls.) and directories! and categories!) and (search\$3 or query) near6 interface) and x.500) and hierarch\$6 and structure	US-PGPUB; EPO; JPO; DERWENT;	
18	9	((((((((shell or module or application or program) with (directory or category)) and LDAP) and 707/\$.ccls.) and directories! and	IBM_TDB USPAT; US-PGPUB;	2004/03/25 13:15
		category)) and (search\$3 or query) near6 interface) and x.500) and hierarch\$6 and structure) and x.500 same (hierarch\$6 or structure)	EPO; JPO; DERWENT; IBM_TDB	
19	9	((((((((shell or module or application or program) with (directory or category)) and LDAP) and 707/\$.ccls.) and directories! and	USPAT; US-PGPUB;	2004/03/25 13:15
		categories!) and (search\$3 or query) near6 interface) and x.500) and hierarch\$6 and structure) and x.500 with (hierarch\$6 or structure)	EPO; JPO; DERWENT; IBM_TDB	
20	78	(((shell or module or application or program) with (directory or category)) and LDAP) and x.500 with (hierarch\$6 or structure)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:15
23	70	((((shell or module or application or program) with (directory or category)) and LDAP) and x.500 with (hierarch\$6 or structure)) and (search\$3 or query) near6 (directory or category)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:16
24	34	(((((shell or module or application or program) with (directory or category)) and LDAP) and x.500 with (hierarch\$6 or structure)) and (search\$3 or query) near6 (directory or category)) and 707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/25 13:16
25	22	((((((shell or module or application or program) with (directory or category)) and LDAP) and x.500 with (hierarch\$6 or structure)) and (search\$3 or query) near6 (directory or category)) and 707/\$.ccls.) and interface	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/03/25 13:17
	I	<u> </u>	IBM_TDB	l